



UVB-H



Weiche, hohe Blockbacken für Backenschnellwechsel

- Modulgeradverzahnung System SMW
- Werkstoff: 15CrNi6, vergütet 800 N/mm²


Typ	Id.-Nr.	B	H	h	L	kg / Satz	SMW-AUTOBLOK
UVB-H 200	5321839	22	85	60	84	1.15	KNCS-N 210 KNCS-N 225 HG-N 210
UVB-H 250	5322137	26	115	86	99	2.19	KNCS-N 260 HG-N 260 KNCS-N 275
UVB-H 315	5322138	32	135	101	121	3.84	KNCS-N 325 HG-N 315 KNCS-N 340



• SMW-AUTOBLOK
• 76
•
•
•
•

Samchully	Röhm	Schunk
	DURO-NCES 200	ROTA THW 210
	DURO-A RC 215	ROTA THW plus 215
	DURO-NCSE 215	ROTA-G 200
		THW 210R
		ROTA NCW 225
		ROTA THW vario 215
	DURO-NCES 250	ROTA-THW 250
	DURO-A RC 250	ROTA THW plus 260
	DURO-NCSE 250	ROTA-G 250
		THW 250/265-R
		ROTA NCW 265
	DURO-NCES 315	ROTA-THW 315
	DURO-A RC 315	ROTA THW plus 315
	DURO-NCSE 315	ROTA-G 315
		ROTA NCW 315
		THW 315-R


UVB-U



Weiche, breite Blockbacken für Backenschnellwechsel

- Modulgeradverzahnung System SMW
- Werkstoff: 15CrNi6, vergütet 800 N/mm²

Typ	Id.-Nr.	B	B1	H	h	L	kg / Satz	SMW-AUTOBLOK
UVB-U 200	5322135	22	40	65	38	84	1.31	KNCS-N 210 KNCS-N 225 HG-N 210
UVB-U 250	5322136	26	46	84	52	99	2.37	KNCS-N 260 HG-N 260 KNCS-N 275
UVB-U 315	5322139	32	46	90	52	121	3.17	KNCS-N 325 HG-N 315 KNCS-N 340



SMW-AUTOBLOK
76

Samchully	Röhm	Schunk
	DURO-NCES 200	ROTA THW 210
	DURO-A RC 215	ROTA THW plus 215
	DURO-NCSE 215	ROTA-G 200
		THW 210R
		ROTA NCW 225
		ROTA THW vario 215
	DURO-NCES 250	ROTA-THW 250
	DURO-A RC 250	ROTA THW plus 260
	DURO-NCSE 250	ROTA-G 250
		THW 250/265-R
		ROTA NCW 265
	DURO-NCES 315	ROTA-THW 315
	DURO-A RC 315	ROTA THW plus 315
	DURO-NCSE 315	ROTA-G 315
		ROTA NCW 315
		THW 315-R